

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1	(714/738.ccls.) and (compress\$3 with statistic\$2) and (compatible adj inputs) and (inverse\$2 adj compatible adj inputs)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/31 21:20
L8	0	(708/270.ccls.) and (compress\$3 with statistic\$2) and (compatible adj inputs) and (inverse\$2 adj compatible adj inputs)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/31 21:20
L9	0	(714/724.ccls.) and (compress\$3 with statistic\$2) and (compatible adj inputs) and (inverse\$2 adj compatible adj inputs)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/31 21:21
L10	0	(341/67.ccls.) and (compress\$3 with statistic\$2) and (compatible adj inputs) and (inverse\$2 adj compatible adj inputs)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/31 21:21
L11	0	(341/59.ccls.) and (compress\$3 with statistic\$2) and (compatible adj inputs) and (inverse\$2 adj compatible adj inputs)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/31 21:21
L12	1	(compress\$3 with statistic\$2) and (compatible adj inputs) and (inverse\$2 adj compatible adj inputs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 21:22
L13	32	kang-sung-ho.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 21:47
L17	2	(chun-sung-hoon.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 21:54
L19	2	(kim-yong-joon.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 21:56

EAST Search History

L21	3	(kim-guen-bae.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 21:57
S3	2	(compression with (statistical adj coding)) and (replac\$3 with bit\$1) and (re-order\$3 with bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 22:31
S4	1	(compression with (statistical adj coding)) and (replac\$3 with bit\$1) and (reorder\$3 with bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 22:35
S5	2	(compression with (statistical adj coding)) and (replac\$3) and (reorder\$3 with bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 22:35
S6	18	(FSM with decoder) and compression and decompression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 17:33
S8	13	(4-bit with 1-bit with compress\$3) and (2-bit with block\$1 with group\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:00
S9	1	(4-bit with 1-bit with compress\$3) same (2-bit with block\$1 with group\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 15:55
S10	16	(4-bit\$1 with 1-bit\$1 with compress\$3) and (2-bit\$1 with group\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:01

EAST Search History

S11	3	(4-bit\$1 with 1-bit\$1 with compress\$3) and (2-bit\$1 with codeword)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:05
S13	2	(4-bit\$1 with 1-bit\$1 with compress\$3 with highest with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:13
S14	2	(4-bit\$1 with 1-bit\$1 with compress\$3 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:13
S15	2	(4-bit\$1 with 1-bit\$1 with compress\$3) same frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:14
S16	5	((("4" adj bit\$1) with ("1" adj bit\$1) with compress\$3) same frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:21
S17	2	((("4" adj bit\$1) with ("1" adj bit\$1) with compress\$3) same frequency) and (("2" adj bit\$1) with codeword\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:24
S18	1	((("4" adj bit\$1) with ("1" adj bit\$1) with compress\$3) same frequency) and (("2" adj bit\$1) with group\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:24
S19	2	((("4" adj bit\$1) with ("1" adj bit\$1) with compress\$3) same frequency) and (("2" adj bit\$1) with (group\$1 or block\$1 or codeword\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:26

EAST Search History

S21	28	((("2" adj bit\$1) with (group\$1 or block\$1 or codeword\$1) with (original or "same" or unchanged)) same compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 16:33
S25	26	((("2" adj bit\$1) with data with bits with group\$1 with (block\$1 or codeword\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 15:57
S26	2	((("2" adj bit\$1 adj codeword) with data with bits with group\$3 with block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 15:52
S27	2	((("2" adj bit\$1 adj codeword) with data with bits with group\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 15:52
S28	2	((("2" adj bit\$1 adj codeword) with data with bits with block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 15:53
S29	2	("2" adj bit\$1 adj codeword\$1) with group\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 15:58
S31	15	("2" adj bit\$1 adj codeword\$1) with block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 16:06
S32	3	((("2" adj bit\$1 adj codeword\$1) with block\$1) and compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 15:59

EAST Search History

S34	1	input with conflict\$3 with ("x" adj value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 09:47
S35	4	input with conflict\$3 with (("x" adj value\$1) or (don't adj care))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 21:03

DG

Welcome United States Patent and Trademark Office

SUPPORT

IEEE XPLORE GUIDE

SEARCH

BROWSE



Search Session History

Tue, 31 Jul 2007, 10:09:19 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1 ((compression <in>metadata) <and> (statistical coding<in>metadata))<and> (inversely compatible inputs<in>metadata)

0

#2 (compression <and>statistical coding)<and>inversely compatible inputs

2

